

## CHR Qnaire Library

## Qnaires

4 A's Test for Delirium Screening 6-ITEM Kutcher Adolescent Depression Scale (KADS) Abdominal Pain Abnormal Bleeding/Bruising Abnormal Involuntary Movement Scale (AIMS) \*\*\*Internal use only Acne ADHD Weiss Functional Impairment Rating Scale - Parent Report (WFIRS-P) ADHD Weiss Functional Impairment Rating Scale - Self Report (WFIRS-S) "Adolescent Dissociative Experiences Scale-II (A-DES) " Adult ADHD Self-Report Scale (ASRS-V1.1) Symptom Checklist Advanced Warning of Relapse 3.0 (AWARE 3.0) Adverse Childhood Experience Questionnaire (ACE-Q) Alcohol Use Disorders Identification Test (AUDIT) Allergies/Hayfever Allergy Shot American Orthopaedic Foot and Ankle Society - Ankle-Hindfoot Scale American Orthopaedic Foot and Ankle Society (AOFAS) hallux American Orthopaedic Foot and Ankle Society (AOFAS) lesser toes American Orthopaedic Foot and Ankle Society (AOFAS) midfoot Anemia APGAR Score

Ask Suicide-Screening Questions (ASQ) Suicide Risk Screening Tool
Asthma
Australian Pelvic Floor Questionnaire
Back Pain
Barkley's S Quick-Check for Adult ADHD Diagnosis
Bath Ankylosing Spondylitis Disease Activity Index (BASDAI)
Beighton Hypermobility Score (BHS)
Binge Eating Disorder Screener (BEDS-7)
Binge Eating Scale (BES)
Blood Test Request
Braden Score for Pressure Ulcers (BS)
Breast Concern
Brief Psychiatric Rating Scale (BPRS)
Brief Revised Working Alliance Inventory (BR-WAI)
Brief Sex History Questionnaire
Brief Trauma Questionnaire (BTQ)
CADDRA Patient ADHD Medication Form
CAGE Alcohol Questionnaire (CAGE)
CAGE Questions Adapted to Include Drug Use (CAGE-AID)
Camouflaging Autistic Traits Questionnaire (CAT-Q)
Canadian C-Spine Rule (CCR)
Canadian Lung Health Test
Canker or Cold Sores
Caprini Risk Assessment Model For Venous Thromboembolism

Carpal Tunnel
CDC Symptom Inventory
CENTOR SCORE FOR GAS PHARANGITIS Centor Score (Modified/McIsaac) for Strep Pharyngitis
Central Sensitization Inventory (CSI)
CHA2DS2-VASc Score for Atrial Fibrillation Stroke Risk
CHADS2 Score for Atrial Fibrillation Stroke Risk
Chest Pain
Childhood Autism Spectrum Test (CAST)
Children's Functional Assessment Rating Scale (CFARS) ***Internal Use Only
Children's Hospital of Eastern Ontario Pain Scale (CHEOPS)
Chiro - Arthritis/Arthritic Joint Injury
Chiro - Back Pain
Chiro - Headache/Migraine
Chiro - Neck Pain
Chiro - New Patient Intake
Cincinnati Prehospital Stroke Severity Scale (CP-SSS)
Clinical Institute Withdrawal Assessment of Alcohol Scale, Revised (CIWA-Ar)
Clinical Opiate Withdrawal Scale (COWS)
Colic
Colitis
Comprehensive Evaluation for Acne - CEA
Concussion
Confusion
Constipation

Contraception and Family Planning Copenhagen Burnout Inventory (CBI) Cornell Scale for Depression in Dementia (CSDD) \*\*\*Internal use only Cough / Cold / Flu Symptoms - Child Cough, Cold and Flu COVID-19 Screening Dental/Oral Health Diabetes Diarrhea Dysmenorrhea E-cigarette Dependence Scale (EDS) Earache Eating Attitudes Test (EAT-26) © Edema Edinburgh Perinatal/Postnatal Depression Scale (EPDS) Edmonton Symptom Assessment System Revised (ESAS-r) Ego-Dissolution Inventory (EDI) Elbow Pain Epilepsy / Seizures Executive Functioning Skills Development - Self Rating Scale (EFDS-SRS) Expanded Prostate Cancer Index Composite (EPIC) Expanded Prostate Cancer Index Composite for Clinical Practice (EPIC-CP) Eye Irritation Fall Risk Assessment/Fall Prevention

Family Violence
Feeding Difficulties Newborn
Female Pattern Hair Loss Grading Scales (FPHL) Lugwig / Sinclair
Female Sexual Function Index (FSFI)
Fever
Finding Balance - Are you at risk of falling?
Foot Function Index (FFI)
Foot/Ankle Pain
Gastrointestinal Bleeding
Gender Affirming Care
Generalized Anxiety Disorder 2-item (GAD-2)
Generalized Anxiety Disorder-7 (GAD-7)
Geriatric Depression Scale (GDS)
Get Active Questionnaire
Glasgow Coma Scale (GCS)
Godin-Shephard Leisure-Time Physical Activity Questionnaire (GSLTPAQ)
Groin Pain
Hamilton Anxiety Rating Scale (HAM-A)© *Internal use only
Hamilton Depression Rating Scale (HAMD-21)© *Internal use only
Hand/Wrist Pain
Harvey Bradshaw Index (HBI) **Internal Use Only**
HAS-BLED Score for Major Bleeding
Headache/Migraine
Health Assessment Questionnaire - Disability Index (HAQ-DI)

Hearing Loss Heartburn Hematuria Pre-Visit Hemorrhoids Hip Pain HIV Incidence Risk Index for Men Who Have Sex with Men (HIRI-MSM) HIV/AIDS Hooked on Nicotine Checklist (HONC) Hyperhidrosis Disease Severity Scale (HDSS) Hyperlipidemia (High Cholesterol) Hyperthyroid/Thyroid Nodule Hypothyroid Immunizations Incontinence - Female Incontinence - Male Indigestion International Index of Erectile Function (IIEF-15) International Index of Erectile Function (IIEF-5) International Prostate Symptom Score (IPSS) Intuitive Eating Scale-2 (IES-2) **Irregular Periods** IUD Insertion Knee Pain Kutcher Side Effects Scale for ADHD Medication (KSES - ADHD)

Lam Employment Absence and Productivity Scale (LEAPS)

Learning Accessibility Services

Looksee - 1 month

- Looksee 12 months
- Looksee 15 months
- Looksee 18 months
- Looksee 2 months
- Looksee 2 years
- Looksee 3 years
- Looksee 30 months
- Looksee 4 months
- Looksee 4 years
- Looksee 5 years
- Looksee 6 months
- Looksee 6 years
- Looksee 9 months
- Los Angeles Motor Scale (LAMS)
- Low Blood Sugar (Hypoglycemia)
- Lower Extremity Functional Scale (LEFS)
- MacLean Screening Instrument for BPD (MSI-BPD)
- Major Depression Inventory (MDI)
- Medication Refill and Review
- Memory Problems / Dementia
- Menopause

Menopause Specific Quality of Life MENQOL (1-week) Menopause Specific Quality of Life MENQOL-I (1-month) Intervention Version Menopause Specific Quality of Life MENQOL-I (1-week) Intervention Version Mental Health Quality of Llfe Questionnaire (MHQoL) mMRC (Modified Medical Research Council) Dyspnoea Scale Modified HCL-32 Questionnaire Mole/Lesion/Patch Mood Disorder Questionnaire (MDQ) Motor Vehicle Whiplash Assessment Multidimensional Health Assessment Questionnaire (MDHAQ) Nasal Congestion Nausea / Vomiting Neck Pain New Clinical Fibromyalgia Diagnostic Criteria New Patient Intake NICHQ Vanderbilt Assessment Scale (Follow-up) - Parent NICHQ Vanderbilt Assessment Scale (Follow-up) - Teacher NICHQ Vanderbilt Assessment Scale (Initial) - Parent NICHQ Vanderbilt Assessment Scale (Initial) - Teacher Nine Item Avoidant/Restrictive Food Intake Disorder Screen - Child (NIAS) Nosebleed Numbness and Tingling Numerical Pain Rating Scale (NPRS) Obsessive - Compulsive Inventory (OCI)

Opioid Risk Tool

- Ortho Back Pain
- Ortho Elbow Pain
- Ortho Foot/Ankle Pain
- Ortho Hand/Wrist
- Ortho Hip Fracture
- Ortho Knee Pain
- Ortho New Patient Intake
- Ortho Osteoarthritis
- Ortho Shoulder Pain
- Pain Catastrophizing Scale (PCS-EN)
- Pain Disability Index (PDI)
- painDETECT Questionnaire (PD-Q)
- Palpitations (fluttering heart)
- Panic Disorder Severity Scale (PDSS) Self Report Form
- Pap Smear Pre-Visit
- Patient Activity Scale-II (PAS-II)
- Patient Centred Assessment Method (PCAM) \*\*\*Internal Use Only
- Patient Health Questionnaire (PHQ-2)
- Patient Health Questionnaire-15 (PHQ-15)
- Patient Health Questionnaire-4 (PHQ-4)
- Patient Health Questionnaire-9 (PHQ-9)
- Patient Reported Functional Status (PRFS)
- Patient-Rated Tennis Elbow Evaluation (PRTEE)

Pediatric Respiratory Assessment Measure (PRAM) for Asthma Exacerbation Severity Pediatric Symptom Checklist -17 (PSC-17) PEG: A Three-Item Scale Assessing Pain Intensity and Interference Periodic Preventative Health Visit PHQ-9 modified for Adolescents (PHQ-A) Physical Self-Maintenance Scale (PSMS) PNEUMONIA RISK (CURB65) Post-Concussion Symptom Scale (PCSS) **Postoperative Complications** Postpartum Issues Pre-Travel Consultation Pregnancy Concern Present Functioning Questionnaire (PFQ) Psoriasis Area and Severity Index (PASI) \*\*\*Internal Use Only Psychosis (including schizophrenia) PTSD Checklist - Civilian Version (PCL - C) PTSD Checklist for DSM-5 (PCL-5) PTSD Checklist PCL-5 with Life Events Checklist (LEC-5) and Criterion A qSOFA (Quick SOFA) Score for Sepsis **Rash History** Rectal Pain **Removal of Sutures** Restraint Scale Review of Results

Ringing in Ears (Tinnitus) Rivermead Post Concussion Symptoms (PCSS) Routine Sexual Health Check-Up Saint Louis University Mental Status Examination (SLUMS) SCOFF Questionnaire Scoliosis and Spinal Deformity Patient Questionnaire Screen for Adult Anxiety Related Disorders (SCAARED) Screen for Child Anxiety Related Disorders (SCARED) CHILD Version Screen for Child Anxiety Related Disorders (SCARED) PARENT Version Screen for Disordered Eating (SDE) Self-Compassion Scale Short Form (SCS-SF) Severity Measure for Social Anxiety Disorder (Social Phobia) - Adult Sexually Transmitted Infection (STI) Assessment SF-36 Health Survey Short version of the International Hip Outcome Tool (iHOT-12) Shoulder Pain Simple Shoulder Test (SST) Sleep Disorders Questionnaire Sleep Issues **Smoking Cessation Toolkit** SNAP-IV 26 - Teacher and Parent Rating Scale SNAP-IV 90 Teacher and Parent Rating Scale SNAP-IV: Teacher and Parent 18 item Rating Scale Social Interaction Anxiety Scale (SIAS)

Sore Throat Subjective Opiate Withdrawal Scale (SOWS) Swallowing Difficulty Swollen Glands Tampa Scale of Kinesiophobia (TSK) Teen Functional Assessment (TeFA) TendonQ - Tendon Health Questionnaire Testosterone Replacement Therapy The 16-Item Version of the Prodome Questionnaire (PQ-16) The AWE Experience Scale (AWE-S) The Bipolar Spectrum Diagnostic Scale (BSDS) The Cannabis Use Disorder Identification Test - Revised (CUDIT-R) The CRAFFT Questionnaire (version 2.1) The E-Cigarette Fagerstrom Test of Cigarette Dependence (e-FTCD) The Expanded Prostate Cancer Index Composite (EPIC-26) Short Form The Menopause Quick 6 (MQ6) The Menopause-Specific Quality-of-Life Questionnaire (MENQOL) - 1 Month The Migraine Disability Assessment Test (MIDAS) The Penn State Worry Questionnaire (PSQW) The Roland-Morris Low Back Pain and Disability Questionnaire The World Health Organization Quality of Life (WHOQOL) - BREF TIMI Risk Score for STEMI TIMI Risk Score for UA/NSTEMI

Tool for Assessment of Suicide Risk: Adolescent Version (TASR-A) \*\*\*Internal Use Only

UCLA Shoulder Score (UCLA SS) Upper Extremity Functional Index (UEFI) Urgency, Perseverance, Premeditation and Sensation Seeking Impulsive Behavior Scale - P (UPPS-P) Urinary Tract Infection (Female) Urinary Tract Infection (Male) Vaginal Concern Vaginal Yeast Infection Verbal Rating Scale (VRS) Victorian Institute of Sport Assessment - Achilles (VISA-A) Victorian Institute of Sport Assessment - Greater trochanteric pain syndrome - VISA-G Victorian Institute of Sport Assessment - Patella (VISA-P) Visual Analog Scale (VAS) for Dermatological Symptoms Visual Analog Scale (VAS) for Itch Visual Analogue Scale (VAS) Weakness Weight Management Weight Self-Stigma Questionnaire (WSSQ) Weiss Symptom Record II (WSR-II) Well Baby Checkup - 1 Month Well Baby Checkup - 1 Week Well Baby Checkup - 12-13 Months Well Baby Checkup - 15 Months Well Baby Checkup - 18 Months Well Baby Checkup - 2 Months

- Well Baby Checkup 2 Weeks
- Well Baby Checkup 2 Years
- Well Baby Checkup 3 Years
- Well Baby Checkup 4 Months
- Well Baby Checkup 4 Years
- Well Baby Checkup 5 Years
- Well Baby Checkup 6 Months
- Well Baby Checkup 9 Months
- Wells' Criteria for DVT
- Wells' Criteria for Pulmonary Embolism
- Wender Utah Rating Scale for Attention Deficit Hyperactivity Disorder
- Western Ontario Shoulder Instability Index (WOSI)
- WHO Disability Assessment Schedule 2.0 (WHODAS 2.0)
- Work and Social Adjustment Scale (WSAS)
- World Health Organization (WHO) The Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST)
- Worst Itch Intensity Numerical Rating Scale (WI-NRS)
- Wound Care
- Yale Food Addiction Scale (YFAS)
- Yale University PRIME Screening Test
- Youth Pediatric Symptom Checklist-17 (Y PSC-17)